

FORTEVER[®]

Focus on personalization and small-scale industrialization

浙江合和机电有限公司

地址: 浙江省诸暨市枫桥镇新泽湖泽树下1150号

电话: 0575-87181065

传真: 0575-87181066

邮箱: fortever@fortever.com.cn

www.fortever.com

www.fortever.com.cn

ZHEJIANG HEHE ELECTRIC MACHINERY CO.,LTD.

Add: No.1150,zeshuxia,xinzehu,fengqiao,zhuji city,zhejiang,china

Tel: 0086-575-87181065

Fax: 0086-575-87181066

E-mail:forteever@fortever.com.cn

www.fortever.com

www.fortever.com.cn

Find us on



产品参数如有变更，恕不另行通知。

Product parameters are subject to change without prior notice.



FORTEVER®

我们更专注个性化和小型工业化
We are focused on personalization and small-scale industrialization

产品目录

CONTENTS

- 01/ 单头机系列
Single Head Machine Series
- 11/ 轻轨系列
C Type Machine Series
- 17/ 多头高速帽绣机系列
High Speed Multi Head Tubular Machine Series
- 21/ 特种机系列
Special Function Machine Series
- 29/ 多头高速平绣机
High Speed Multi Head Flat Machine Series
- 33/ 可选装置
Additional Special Device



SPECIFICATION:

- * Emb area:240*320mm
- * Suitable for cap and finished garments embroidery
- * Max working speed 1000RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming and self-lubrication system
- * Memory stitches:100.000.000,single pattern stitches at most 4.000.000
- * Special structure supports bigger base space.Which make sure embroider on different kinds of finished products,e.g T-shirt,bag, pillow covers
- * Adjustable take up lever spring force adapted to various thread and fabric with nice stitches
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Hindi,Russian,French,Italian,Arabic,Dutch,German,Vietnamese, Polish,Thai,Korean,Romanian
- * Carton packing
- * The best choice for home use and mini studio



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
HALO-100	240×320mm	12	1	Machine box:39/55kgs.	75.5×56.5×74.5cm
				Stand Box:35/48kgs.	79×22×79cm
				Cap device box:7.5/8kgs.	50×32×27cm

Halo-100

◎ 配置绣框

Hoops included

- | | |
|--------------|--------------------------------|
| 1个32×24cm的绣框 | 1 x rectangular hoop 32 × 24cm |
| 1个24×24cm的绣框 | 1 x square hoop 24 × 24cm |
| 1个12cm的绣框 | 1 x round hoop 12cm |
| 1个15cm的绣框 | 1 x round hoop 15cm |
| 1个20cm的绣框 | 1 x round hoop 20cm |



1 x rectangular hoop 32 × 24cm



1 x square hoop 24 × 24cm



1 x round hoop 12cm



1 x round hoop 15cm



1 x round hoop 20cm

◎ 帽绣附件

Cap device included

- 帽座一套
- 帽圈两个
- 270度帽驱动一套
- 1 x cap station
- 2 x cap ring
- 1 x cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器
- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



脚轮 wheels




绕线器 bobbin winder

◎ 可选装置

Additional device



袜框 socks device



鞋绣 shoes device



口袋框 pocket frame



磁力绣框 magnet frame

FT-1201(300×350)

SPECIFICATION:

- * Emb area:300x350mm,7inch Touch panel
- * Suitable for cap and finished garments embroidery
- * Max speed 1200RPM
- * Auto color changing,auto thread trimming
- * 80V-260V adapted to all electricity environment,DC36 safe voltage output
- * Full screen pre-view design function supported
- * Devices could be matched(cording,sequins,beads)
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(300×350)	300×350mm	12 (15 adopted)	1	85kgs./175kgs.	88×74×99cm

FT-1201(350×500)

SPECIFICATION:

- * Suitable for cap,flat and finished garments embroidery
- * 10inch touch panel,with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(350×500)	350×500mm	12 (15 adopted)	1	95kgs./195kgs.	83×113×89cm

FT-1201(400×600)Pro

- SPECIFICATION:
- * Suitable for cap,flat and finished garments embroidery
 - * 10inch touch panel,with photo embroidery function
 - * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
 - * Max speed 1200RPM
 - * 80V-260V adapted to all electricity environment
 - * Auto color changing,auto thread trimming
 - * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
 - * Device could be matched(cording,sequins,beads)
 - * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(400×600)Pro	400×600mm	12 (15 adopted)	1	117kgs./207kgs.	103×113×89cm

FT-1201(500×800)Pro

- SPECIFICATION:
- * Suitable for cap,flat and finished garments embroidery
 - * 10inch touch panel,with photo embroidery function
 - * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
 - * Max speed 1200RPM
 - * 80V-260V adapted to all electricity environment
 - * Auto color changing,auto thread trimming
 - * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
 - * Device could be matched(cording,sequins,beads)
 - * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(500×800)Pro	500×800mm	12 (15 adopted)	1	125kgs./265kgs.	120×113×89cm
FT-1201(500×1200)Pro	500×1200mm	12 (15 adopted)	1	140kgs./280kgs.	146×113×89cm

FT-1201D(500×1200)



FT-1201D(500×800)



SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech
- * Device could be matched(cording, sequins, beads)
- * Plywood packing

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201D(500×800)	500×800mm	12 (15 adopted)	1	125kgs./225kgs.	103×113×89cm
FT-1201D(500×1200)	500×1200mm	12 (15 adopted)	1	150kgs./265kgs.	146×113×89cm

FT-1201(600×1200)



SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel, with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1200RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing, auto thread trimming
- * 17 languages: Chinese, English, Turkish, Spanish, Portuguese, Russian, French, Arabic, Dutch, German, Vietnamese, Thai, Romanian, Italian, Polish, Hebrew, Czech
- * Device could be matched(cording, sequins, beads)
- * Plywood packing




型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(600×1200)	600×1200mm	12 (15 adopted)	1	160kgs./310kgs.	146×113×89cm



FT-1201(700×1200)

SPECIFICATION:

- * Suitable for flat embroidery
- * 10inch touch panel,with photo embroidery function
- * Memory stitches: 20.000.000 or 200pcs pattern, single pattern stitches at most 2.000.000
- * Max speed 1000RPM
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201(700×1200)	700×1200mm	12 (15 adopted)	1	320kgs./420kgs.	220×113×89cm
FT-1201(700×1700)	700×1700mm	12 (15 adopted)	1	350kgs./485kgs.	245×113×89cm

FT-1201

(300×350) / (350×500) / (400×600)Pro / (500×800)Pro / (500×1200)Pro

◎ 配置绣框

Hoops included

1个铝框, FT-1201(300×350)除外
1个椭圆绣框58×36cm
2个30×30cm的绣框
2个19cm的绣框
2个15cm的绣框
2个12cm的绣框
2个9cm的绣框

1 x aluminum frame, except FT-1201(300×350)
1 x oval hoops 58×36cm
2 x square hoops 30×30cm
2 x round hoops 19cm
2 x round hoops 15cm
2 x round hoops 12cm
2 x round hoops 9cm



Aluminum frame
except FT-1201(300×350)



30×35cm only
for FT-1201(300×350)



58×36cm
except FT-1201(300×350)



30×30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

帽座一套
帽圈两个
270度帽驱动一套
1 x cap station
2 x cap rings
1 x cap driver



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

工具箱
操作手册
台板和带有轮子的支架
绕线器

Tool kit
Operation Manual
Table and stand with wheels
Bobbin winder



工具箱 tool kit



绕线器 bobbin winder

FT-1201HC(400×500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 2.000.000
- * 10inch touch panel,with photo embroidery function
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201HC	400×500mm	12 (15 adopted)	1	215kgs./ 330kgs.	103×113×89cm

FT-1202HC(400×500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 2.000.000
- * 10inch touch panel,with photo embroidery function
- * 80V-260V adapted to all electricity environment
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese, Russian,French,Arabic,Dutch,German,Vietnamese,Thai, Romanian,Italian,Polish,Hebrew,Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202HC	400×500mm	12 (15 adopted)	2	350kgs./ 470kgs.	146×113×89cm

FT-1203HC(400×500)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 2.000.000
- * 10inch touch panel ,with photo embroidery function
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1203HC	400×500mm	12 (15 adopted)	3	540kgs./ 760kgs.	195×113×130cm

FT-1204HC(400×450)

SPECIFICATION:

- * Suitable for flat ,cap and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches: 20.000.000 or 200pcs patterns,single pattern stitches at most 2.000.000
- * 10inch touch panel ,with photo embroidery function
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech
- * Device could be matched(cording,sequins, beads)
- * Plywood packing




型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1204HC	400×450mm	12 (15 adopted)	4	800kgs./880kgs.	220×113×130cm

FT-905HC(200×500)



SPECIFICATION:

- * Suitable for flat embroidery
- * Max speed 1200RPM
- * Memory stitches:20.000.000 or 200pcs patterns, single pattern stitches at most 2.000.000
- * 10inch touch panel,with photo embroidery function
- * Auto color changing,auto thread trimming
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Device could be matched(cording,sequins,beads)
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-905HC	200×500mm	9	5	540kgs./ 770kgs.	195×113×130cm

FT-1201HC/1202HC/1203HC/1204HC

◎ 配置绣框

Hoops included

- 1个铝框
- 1个椭圆绣框31×39cm / 40×40cm
- 2个30×30cm的绣框
- 2个19cm的绣框
- 2个15cm的绣框
- 2个12cm的绣框
- 2个9cm的绣框

- 1 x aluminum frame (size changed according to different machine)
- 1 x square hoop 31 × 39cm / 40 × 40cm per head
- 2 x square hoops 30 × 30cm per head
- 2 x round hoops 19cm per head
- 2 x round hoops 15cm per head
- 2 x round hoops 12cm per head
- 2 x round hoops 9cm per head



Aluminum frame



40x40cm per head for FT-1201HC/1202HC
31x39cm per head for FT-1203HC/1204HC



30x30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

- 帽座一套/台
- 帽圈两个/头
- 270度帽驱动一套/头
- 1 x cap station / set
- 2 x cap rings / head
- 1 x cap driver / head



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器

- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbins winder



工具包 tool kit



绕线器 bobbin winder

FT-1204H(400×450)



SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches:100.000.000,single pattern stitches at most 600.000
- * Auto color changing,auto thread trimming
- * 8 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic
- * Support presser foot movement control function
- * Devices could be matched(cording,sequins,beads)
- * Vacuum packing




型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1204H	400×450mm	12 (15 adopted)	4	850kgs./1050kgs.	280×90×150cm

FT-1206H(400×450)



FT-1208H(400×450)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1206H	400×450mm	12 (15 adopted)	6	1050kgs./1300kgs.	350×90×150cm
FT-1208H	400×450mm	12 (15 adopted)	8	1450kgs./1600kgs.	430×90×150cm

FT-1212H(400×450)



SPECIFICATION:

- * Suitable for cap, flat and finished garments embroidery
- * Max speed 1200RPM
- * Memory stitches:100.000.000,single pattern stitches at most 600.000
- * Auto color changing,auto thread trimming
- * 8 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic
- * Support presser foot movement control function
- * Devices could be matched(cording,sequins,beads)
- * Vacuum packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1212H	400×450mm	12 (15 adopted)	12	2400kgs./2500kgs.	655×90×150cm

FT-1204H/1206H/1208H/1212H

◎ 配置绣框

Hoops included

- | | |
|---------------|--|
| 1个铝框 | 1 x aluminum frame (size changed according to different machine) |
| 1个椭圆绣框31×39cm | 1 x square hoops 31x39cm per head |
| 2个30×30cm的绣框 | 2 x square hoops 30×30cm per head |
| 2个19cm的绣框 | 2 x round hoops 19cm per head |
| 2个15cm的绣框 | 2 x round hoops 15cm per head |
| 2个12cm的绣框 | 2 x round hoops 12cm per head |
| 2个9cm的绣框 | 2 x round hoops 9cm per head |



Aluminum frame




31x39cm




30x30cm



19cm



15cm



12cm



9cm

◎ 帽绣附件

Cap device included

- 帽座一套/台
- 帽圈两个/头
- 270度帽驱动一套/头
- 1 x cap station / set
- 2 x cap rings / head
- 1 x cap driver / head



帽座 cap station



帽圈 cap ring



帽驱动 cap driver

◎ 其他附件

Accessories included

- 工具箱
- 操作手册
- 台板和带有轮子的支架
- 绕线器
- Tool kit
- Operation Manual
- Table and stand with wheels
- Bobbin winder



工具包 tool kit



绕线器 bobbin winder

FT-901 + 1PD(650×1200)



SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Devices could be matched
- * Plywood packing




型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-901+1PD	650×1200mm	9 (12 adopted)	1+1	500kgs./ 550kgs.	195×113×89cm

FT-1201 + 1CT(560×1200)



SPECIFICATION:

- * Suitable for flat embroidery,chenille and chain stitch embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Flat embroidery max speed 1000RPM,chenille and chain stitch embroidery max speed 700RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Devices could be matched
- * Plywood packing




型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201+1CT	560×1200mm	12 (9 adopted)	1+1	650kgs./ 800kgs.	195×113×130cm

FT-601CT(500×800)



SPECIFICATION:

- * Suitable for chenille and chain stitch embroidery
- * Memory stitches:20,000,000,single pattern stitches at most 2,000,000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 700RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish, Hebrew,Czech
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-601CT	500×800mm	6	1	125kgs./ 265kgs.	120×113×89cm

FT-1201SP(297×210)




SPECIFICATION:

- * 12needles 1 head sequins punching machine
- * Finished sequins diameter size:6 types(0.8mm,1.2mm, 1.6mm, 2.0mm ,2.5mm,3.0mm).Supported by width 4mm sequins materials.
- * Max Speed:1000RPM
- * Working area: 297*420MM (A3 paper size)
- * 80V-260V adapted to all electricity environment,DC36 safe voltage output
- * 10inch touch panel, full screen pre-view design function supported
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian, French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish, Hebrew,Czech
- * Plywood packing



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1201SP	297×210mm	12	1	117kgs./207kgs.	120×113×89cm

FT-901 + 1LPD(800×1700)



SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Devices could be matched




型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-901+1LPD	800×1700mm	9	1+1	900kgs./1000kgs.	230×190×150cm

FT-902 + 2PD(600×850)



SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Memory stitches:20.000.000,single pattern stitches at most 2.000.000
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,Russian,French,Arabic,Dutch,German,Vietnamese,Thai,Romanian,Italian,Polish,Hebrew,Czech
- * Devices could be matched



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-902+2PD	600×850mm	9	2+2	900kgs./1000kgs.	230×190×150cm
FT-902+2PD	950×1000mm	9	2+2	1200kgs./1300kgs.	250×200×130cm 375×40×15cm


FT-1202MC(500×500×850)

2 heads flat with multi color cording



SPECIFICATION:

- * Suitable for the carpet making ,traditional dresses decoration embroidery
- * Convenient power failure recovery embroidery function, prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM(flat and cording)
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 17 languages:Chinese,English,Turkish,Spanish, Portuguese,Russian,French,Arabic,Dutch,German, Vietnamese,Thai,Romanian,Italian,Polish,Hebrew, Czech



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202MC	500×850mm	12	2	500kgs./700kgs.	230×165×160cm


FT-610 + 10PD(600×600×850)

Flat+Coiling&Taping



SPECIFICATION:

- * Suitable for flat embroidery,coiling and taping embroidery
- * Convenient power failure recovery embroidery function,prevent embroidery half-way off cause misalignment
- * Maximum speed 1000RPM
- * Auto color changing,auto thread trimming
- * LCD display showing real time stitching
- * Full screen pre-view design trace
- * Thread break detection and prevention
- * Automatic external thread winding device
- * 8 languages:Chinese,English,Turkish,Spanish,Portuguese, Russian,French,Arabic
- * Devices could be matched(sequins,beads,rhinestones)



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-610+10PD	600×600×850mm	6	10+10	3500kgs./3700kgs.	840×225×165cm

FT-1202F (500×500×850)

12 Needles 2 Heads Flat Embroidery Machine




SPECIFICATION:

- * Compact structure,machine display size 2.3m(L)*2.2m(W)
- * High efficiency,max speed 1000RPM
- * Convenient power failure recovery function
- * Big LCD display showing real time stitching
- * Full screen pre-view design trace capable
- * Auto color changing,auto thread trimming
- * Thread break detection and prevention
- * Device could be choosed:sequins, cording, beads,rhinestone
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,
Russian,French,Arabic,Dutch,German,Vietnamese,Thai,
Romanian,Italian,Polish,Hebrew,Czech

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-1202F	500×850mm	12	2	500kgs./615kgs.	230×165×160cm

FT-910F (200×200×400)

9 Needles 10 Heads Flat Embroidery Machine




SPECIFICATION:

- * The best machine for Logo making
- * Compact structure,machine display size 2.9m(L)*1.35m(W)
- * With overlap function, 10 heads running,working area
200mm*400mm;5 heads running,working area 400mm*400mm
- * High efficiency,max speed 1200RPM
- * More comfortable view,15inch big touch screen monitor
- * Convenient power failure recovery function
- * Full screen pre-view design trace capable
- * Auto color changing,auto thread trimming
- * Thread break detection and prevention
- * 17 languages:Chinese,English,Turkish,Spanish,Portuguese,
Russian,French,Arabic,Dutch,German,Vietnamese,Thai,
Romanian,Italian,Polish,Hebrew,Czech
- * Plywood packing

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-910F	200×400mm (400×400mm,overlap)	9	10 (5,overlap)	835kgs./1035kgs.	290×115×130cm

FT-904F (500×500×800)

9 Needles 4 Heads Flat Embroidery Machine



FT-906F (500×500×800)

9 Needles 6 Heads Flat Embroidery Machine



型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-904F	500×800mm	9	4	1250kgs./1400kgs.	330×230×160cm
FT-906F	500×800mm	9	6	1629kgs./1746kgs.	430×230×160cm

FT-912F (400×400×800)

9 Needles 12 Heads Flat Embroidery Machine



SPECIFICATION:

- * Needles,heads,Embroidery Area could be done according to exact needs.
- * Finished garments frame could be match(additional)
- * Free changing from finished garments and big flat embroidery working
- * Convenient power failure recovery function
- * Big LCD display showing real time stitching
- * Full screen pre-view design trace capable
- * Auto color changing,auto thread trimming
- * Thread break detection and prevention
- * Device could be choosed:sequins, cording, beads,rhinestone

型号(Model)	刺绣面积(Emb.Space)	针数(Needle)	头数(Head)	净重/毛重(N.W/G.W)	包装尺寸(MEAS)
FT-912F	400×800mm	9	12	2490kgs./2584kgs.	610×230×160cm

More device, more choice


◎ 八合一磁铁绣框 8 in 1 magnetic frame



◎ 口袋框 Pocket frame



◎ 鞋夹 Robot frame




◎ 单金片 Single sequin device




◎ 双金片 Double sequins device




◎ 三金片 Triple sequins device



◎ 简易绳绣 Easy cording device




◎ 晶石绣 Rhinestone device



◎ 袜绣 Sock device



◎ 珠子绣 Beads device



◎ 红光定位装置 Red laser positioning device



◎ 简易激光装置 Easy laser cutting device



◎ 激光切割 Laser cutting device

